
Complementary Units



130
133
138
141
144
145
146



- > Folded sheet steel shell, one piece construction (0.7 mm thick)
- > Melamine inlay façades (19 mm thick), fitted with recessed handles matching the pedestal finish.
- > Drawers matching the pedestal steel finish, mounted on ball-bearing runners and have a grooved surface for installing accessories.
- > Drawers open to a depth of 100%
- > Black ABS pen tray fitted to every top box drawer.



Sheet steel shell folded horizontally to produce a clean and aesthetic



Melamine inlay façades and recessed handles



Melamine back panel for mobile pedestals





> Mobile melamine pedestals (19 mm thick) with 2 self-locking castors and

2 free-moving castors. An additional castor is fitted to the underside of

> Desk height pedestals are fitted with adjustable stabilizer feet (adjust

through 20 mm) and connector plates to secure the pedestal to the desk

filing drawers to prevent tilting. A4 filing optimised.

in continuous configurations.

Drawers open to a depth of 100%



Mobile pedestals From stock W. 41.8 x D. 59.5 x H. 58.5 cm

2 drawers, 1 for SF 2 280 013 + top + col. 3 box drawers 2 280 014 + top + col.

On request



Fabric cushion pad

> Attached to the pedestal with magnetic strips. > See shade card on page 131

2 280 015 + fab. B

Compartment dividers

Set of 4

2 280 009 + fin.



Sloping Set of 3

2 280 010 + fin.



Trays for suspension files and personal belongings

For mobile pedestals and 2 280 011 + fin. DH pedestals D. 60 cm

1 tray W. 35 x D. 34.5 x H. 25.5 cm and 1 tray W. 35 x D. 14 x H. 25.5 cm



For DH pedestals

2 280 012 + fin.

2 trays W. 35 x D. 34.5 x H. 25.5 cm

■ Desk height pedestals 3 drawers. Melamine top 25 mm thick From stock From stock

W. 43.2 x H. 73.5 cm.(DH pedestals, no melamine top - contact us for details)

D. 60 cm 2 280 007 + fin. + col. + top

D. 80 cm 2 280 008 + fin. + col. + top

3 choices of metal pedestal finish (+ fin.) SO SA

Aluminium Graphite

grey

From stock









On request

11 choices of colour for mobile pedestal drawer fronts and back (+ col.)

MA	RI	RH	RL
White maple	Light	French	Amber
	oak	Apple	walnut

From stock





On request

MG	МВ	МС
Snow	Light	Salmon
white	beech	beech





Melamine decorative top 19 mm thick, fitted to pedestal



Drawers open to a depth of 100%

- > Folded sheet steel shell, one piece construction (0.7 mm thick).
- > Metal or melamine top (19 mm thick for mobile pedestals and 25 mm for DH pedestals),
- > Drawers fitted with lateral grip handles; mounted on ball-bearing runners.
- > Drawers open to a depth of 100% (except for box drawers DH D. 80 cm : 90 %).
- > Black ABS pen tray fitted to every top box drawer.

■ Mobile pedestals





Pedestals with metal top

W. 41.8 x D. 57 x H. 56.9 cm

1 box drawer + 1 filing drawer 2 276 112 + fin. 3 box drawers 2 276 113 + fin.

Pedestals with melamine top

W. 42 x D. 57.2 x H. 57.6 cm

1 box drawer + 1 filing drawer 2 276 114 + fin. + top 3 box drawers 2 276 115 + fin. + top







34 choices of fabric on request (allow 4 to 6 weeks for delivery). Shades and codes: see pages 346-347.

Cat. A fabrics - on standard pricing of cat. B fabrics Cat. C fabrics: + premium on standard pricing of cat









3 choices of finish for metal pedestals (+ fin.)



From stock From stock

7 choices of finish for decorative tops (+ top)

/ CHOIC	es or min	sii ioi ae	Columbe	10h2 (+	iop)	
MG	MA	МВ	RI	MC	RH	RL
Snow white	White maple	Light beech	Light oak	Salmon beech	French Apple	Amber walnut

> Selective opening mechanism. Cylinder lock mechanism.

- > Mobile melamine pedestals (19 mm thick) have 2 self-locking castors and 2 free-moving castors. An additional castor is fitted to filing drawers to prevent tilling. A4 filing optimised. For foolscap filing, please purchase conversion bars 1 398 137 GE
- > Desk height pedestals fitted with adjustable stabilizer feet (adjust through 20 mm) and connector plates to secure the pedestal to the desk in contiguous configurations.

■ Desk height pedestals > W. 41.8 x H. 73.5 cm (with top) or W. 41.8 x 71 cm (without top).

Pedestals D. 60 cm, with melamine top

> Can be used in contiguous pedestal configurations. 2 box drawers + 1 filing drawer 2 276 116 + fin. + top

4 box drawers 2 276 122 + fin. + top 2 filing drawers 2 276 119 + fin. + top

Pedestals D. 80 cm, without top

> Can be used in supporting pedestal configurations or if a 'Space box' (see page 132) is to be installed

2 box drawers + 1 filing drawer 2 276 118 + fin. 4 box drawers 2 276 124 + fin. 2 filina drawers 2 276 121 + fin.

Pedestals D. 80 cm, with melamine top

> Can be used in supporting pedestal configurations or if an 'Open box' (see below) is to be installed.

2 box drawers + 1 filing drawer 2 276 117 + fin. + top 4 box drawers 2 276 123 + fin. + top 2 filing drawers 2 276 120 + fin. + top



Open box - metal finish

W. 80 x D. 43.2 x H. 40 cm 2 423 479 + col.

5 choices of open box



From stock

132 ComplementaryUnits / MelaminePedestals

■ Mobile pedestals - 2 or 3 drawers



> Shell and fronts 19 mm thick, melamine top 25 mm thick. 7 decorative finishes to match the desktops > Drawers composed of metal frame and hardboard base > Nylon runners > Choice of 3 finishes for metal handles > Central locking, 1 folding key > An additional castor is fitted to filing drawers to prevent tilting. A4 filing optimised > Black ABS removable pen tray > W. 43.6 x D. 56 x H. 59 cm.

1 box drawer + 1 filing drawer 2 301 047 + top + fin. 3 box drawers 2 301 048 + top + fin.





Fabric cushion pad

> Attaches by means of magnetic strips.

2 301 044 + fab. B

4 choices of cat. B fabric colour (+ fab. B)



Vermillion Plum Iron grey green red



35 choices of fabric on request (allow 4 to 6 weeks for delivery). Shades and codes see pages 346-347

cat. A fabrics: - on standard pricing of cat. B fabrics at. C fabrics

■ Desk height pedestals - 3 drawers



> Base, back and top 25 mm thick > Sides and front 19 mm thick > Choice of 7 decorative finishes to match the desktops > Drawers composed of metal frame and hardboard base > Nylon runners > 4 adjustable stabilizer feet > Choice of 3 finishes for metal handles > Central locking, 1 folding key > Black ABS removable pen tray > A4 filing optimised > W. 43.6 x H. 73.5 cm.

Pedestal D. 60 cm

2 box drawers + 1 filing drawer 2 301 046 + top + fin.



Pedestal D. 80 cm

2 box drawers + 1 filing drawer 2 301 045 + top + fin.





Filing drawer opens to a depth of 100%



Top drawer fitted with ABS pen trav



Filing drawers of mobile pedestals are fitted with a 5th castor to prevent them from tipping



Metal finish handles









7 choices of finish for pedestal shells (+ top)

MG	MA	МВ	RI	MC	RH	RL
Snow	White	Light	Light	Salmon	French	Amber
white	maple	beech	oak	beech	Apple	walnut

From stock

3 choices of finish for handles (+ fin.)

so	SB	sc
White	Aluminium grey	Graphite grey


■ Melamine 'Space box'



- > Easy reach storage > Box is fitted with a base and back panel
- > 2 finishes from stock > Can be placed on a D. 80 cm metal desk height pedestal (without top), on a D. 80 cm melamine desk height pedestal, on a melamine cupboard or on any desktop > W. 80 x D. 43.2 x H. 40 cm

2 423 478 + top















From stock

Buying guide - Space partitioning

We offer a range of flexible, technical and aesthetically appealing solutions, adapted to your specific needs and work environment

- · Reduce the impact of ambient noise and visual distractions from your surroundings
 - Instantly define and configure highly effective and adaptable work spaces
 - Create secluded spaces responding to the need for privacy and concentration, as well as favouring collaboration and communication

Benefits

Aesthetics

- · Designer and subtle styling
- Coordinated with system furniture finishes
- · Harmonised with choice of fabrics on upholstered chairs

Functionality

- Visual privacy when seated and standing
- Defining spaces
- Relieving workspaces of clutter thanks to desktop screen accessories

■ Open Spaces: Acoustic range



- > Fabric and mixed fabric/glazed screens
- > Rectangular fabric desktop screens
- > Acoustic back panels

Ideal for use in:

- · Open space office layouts
- Meeting rooms
- · Shared spaces (corridors, breakout areas, reception areas, etc.)
- Canteens and restaurants



Benefits of the acoustic range:

- > Acoustic comfort thanks to exceptional soundproofing and insulation properties
- > De-cluttering of workspaces thanks to accessories available for desktop screens and mixed partition screens
- > Effective cable management of partition screens thanks to optional cable holders

■ Small and medium work surfaces: Standard range




- > Fabric, melamine, polycarbonate, mixed screens
- > Rectangular fabric and melamine desktop screens
- > Curved fabric desktop screens

Ideal for use in:

- · Small and medium-sized office spaces
- Canteens and cafeterias





Acoustic screens

- > Profiled aluminium support frame (42 mm thick), 2 choices of finish
- > Screen is composed of: 2 layers of fabric stretched over and applied to linear wedges of 15 mm thick melamine sound absorbing foam, rated M1 fire-resistant. These in turn are glued to a central 10 mm thick MDF soundproofing panel
- > Glazed sections comprise 5mm thick transparent toughened safety glass, facilitating interactions and favouring a brighter environment.
- > Optional accessories can be fitted to the median section dividing mixed fabric/glass screens, facilitating storage of office supplies and documents: Puebla accessories (see page 141)
- > Configuration of 2, 3 or 4 screens in line, or in variable angle layouts thanks to plastic connector elements (supplied).
- > Adjustable stabilizer feet.
- > Number of stabilizer feet required is determined by intended screen layout:

Linear layout: 2 feet required for every starter unit, then 1 foot shared between every 2 add-on screens. In case of 2 screens at an angle, T-shaped layout (3 screens) or cross-shaped layout (4 screens), no stabilizer feet are needed.

- > Castor-mounted feet for screens must be purchased in sets of 2. A set of 2 mobile feet is composed of 2 fixed stabilizer elements and 4 castors.
- > Optional cable management channels
- > Height: 160 cm (from stock) and 200 cm (on request)

Made in the F.U Guarantee 5

8 choices of fabric colour (+ fab. B)











2 choices of finish for structure, feet, cable channels and castors (+ fin.)







80%

insulation 2% Average sound absorption rates for carpeted space with false ceiling. Subject to change depending on surroundings.

Soundproofing and



Fabric



Height 160 cm (from stock)

W. 80 cm 6 493 188 + fab. B + fin. W. 120 cm 6 493 189 + fab. B + fin.

Height 200 cm (on request)

W. 80 cm 6 493 192 + fab. B + fin. W. 120 cm 6 493 193 + fab. B + fin.

Fabric / glazed



Height 160 cm (from stock)

W. 80 cm 6 493 186 + fab. B + fin. W. 120 cm 6 493 187 + fab. B + fin.

Height 200 cm (on request)

W. 80 cm 6 493 190 + fab. B + fin. W. 120 cm 6 493 191 + fab. B + fin.

onal extras



> Stabilizer foot

6 493 194 + fin.



> Set of 4 lockable castors, Ø 65 mm, for 2 stabilizer feet

6 493 195 + fin.



> Cable management

W. 80 cm 6 493 212 + fin. W. 120 cm 6 493 213 + fin.

Acoustic cupboard backs

- > 15 mm thick melamine sound absorbing foam applied to a central 3 mm thick MDF soundproofing panel
- > Magnetic attachment
- > Fire-resistant fabric covering (M1), matching fabrics used on partition screens, desktop screens and chairs (see shade card on page 134).

For cupboards - from stock

H. 198 x W. 100 cm 6 493 205 + fab. B H. 198 x W. 120 cm 6 493 204 + fab. B

For cupboards - on request (allow 4 to 5 weeks for delivery)

H. 105 x W. 100 cm 6 493 209 + fab. B H. 105 x W. 120 cm 6 493 208 + fab. B H. 160 x W. 100 cm 6 493 207 + fab. B H. 160 x W. 120 cm 6 493 206 + fab. B



■ Standard screens

- > Profiled aluminium support frame (22 mm thick), 2 choices of finish
- > Fabric covered screen composition: 2 layers of fabric stretched over and applied to a central 6 mm thick MDF panel.
- > Melamine covered screen composition: 1 melamine covered fibreboard panel (8 mm thick)
- > Polycarbonate screen made of a transparent polycarbonate honeycomb structure panel (8 mm thick).
- > Configuration of 2, 3 or 4 screens in line, or in variable angle layouts thanks to plastic connector elements (supplied)
- > Adjustable stabilizer feet.
- > Number of stabilizer feet required is determined by intended screen layout:


Linear layout: 2 feet required for every starter unit, then 1 foot shared between every 2 add-on screens. In case of 2 screens at an angle, T-shaped layout (3 screens) or cross-shaped layout (4 screens), no stabilizer feet are needed.

- > Castor-mounted feet for screens must be purchased in sets of 2. A set of 2 mobile feet is composed of 2 fixed stabilizer elements and 4 castors.
- > Height: 160 cm





4 choices of melamine finish (+ top)





RH

French

Apple

RI





green



red





2 choices of finish for structure, feet and castors (+ fin.)



On request

Melamine



W. 80 cm W. 120 cm 6 387 038 + top + fin. 6 387 039 + top + fin.

Melamine / Polycarbonate



W. 80 cm W. 120 cm 6 387 040 + top + fin. 6 387 041 + top + fin.

Polycarbonate



W. 80 cm W. 120 cm 6 387 042 PV + fin. 6 387 043 PV + fin.

Fabric



W. 80 cm W. 120 cm 6 387 046 + fab. B + fin. 6 387 047 + fab. B + fin.

Fabric / polycarbonate



W. 80 cm W. 120 cm 6 387 044 + fab. B + fin. 6 387 045 + fab. B + fin.





> Stabilizer foot

6 387 048 + fin.



> Set of 4 lockable castors ø 65 mm for 2 stabilizer feet





Acoustic desktop screens

- > Profiled aluminium support frame (42 mm thick), 2 choices of finish
- > Acoustic desktop screen composed of: 2 layers of fabric stretched over and applied to linear wedges of 15 mm thick melamine sound absorbing foam, rated M1 fire-resistant.
- > Support composed of a 10 mm thick MDF soundproofing panel.
- > Xtreme Plus fabric range is colour coordinated with colour schemes of screens and chairs.
- > Optional accessories can be fitted to the top edge of the screen: Puebla accessories (see page 141), flat screen monitor arms suitable for rail attachment (see p. 142) and tablet PC stand (see p. 143). Max. weight per panel: 10 kg.



80/180


Desktop screens

Clamps must be purchased separately (see opposite) W. 120 cm 6 494 001 + fab. B + fin. W. 140 cm 6 494 002 + fab. B + fin. W. 160 cm 6 494 003 + fab. B + fin. W. 180 cm 6 494 004 + fab. B + fin.

Desktop screens for the 'Bench' desks range

For direct attachment (without need for central rail) to the metal structure of the 'Bench' 4Most desks, by means of specifically designed clamps supplied with the screens.

W. 120 cm 1 170 613 + fab. B + fin. W. 140 cm 1 170 614 + fab. B + fin. W. 160 cm 1 170 615 + fab. B + fin. W. 180 cm 1 170 616 + fab. B + fin.



Soundproofing and insulation

Average sound absorption rates for carpeted space with false ceiling. Subject to change depending on surroundings.



Screen fitted with 'Puebla' accessories

Set of clamps

> Essential for supporting the desktop screen > For 25 to 30 mm thick panels > 2 choices of finish: white SO or aluminium grey SA



Set of double clamps: to be placed on double desks, in face-to-face or

2 choices of finish for structure

lateral position all ranges (except 4Line) 6 494 089 + fin. specific to 4Line (see p. 44) 6 494 091 + fin.

8 choices of cat. B fabric colour (+ fab. B)























From stock

red On request

Standard desktop screens

- > Profiled aluminium support frame (22 mm thick), 2 choices of finish
- > Melamine covered fibreboard panel (8 mm thick). Matching the finishes for desktops and pedestals.
- > Fabric covered screen composed of 2 layers of fabric stretched over and applied to a central 6 mm thick MDF panel. Matching fabrics used on partition screens and chairs.
- > Clamps must be purchased separately (see below).
- > Desktop screens for the 'Bench' desks range attach directly (without need for central rail) to the metal structure of the 'Bench' 4Most desks, by means of specifically designed clamps supplied with the screens (see p. 56)
- > Optional accessories can be fitted to the top edge of the screen: Puebli accessories (see below) and tablet PC stand (see p. 143). Max. weight per screen: 3 kg.

Melamine

Standard desktop screens

W. 120 cm 6 459 072 + top + fin. W. 140 cm 6 459 073 + top + fin. W. 160 cm 6 459 074 + top + fin. W. 180 cm 6 459 075 + top + fin.



Fabric

Curved desktop screens

W 120 cm 6 459 080 + fab. B + fin. W. 140 cm 6 459 081 + fab. B + fin. W. 160 cm 6 459 082 + fab. B + fin. W. 180 cm 6 459 083 + fab. B + fin.




120/180



Standard desktop screens

W. 120 cm 6 459 076 + fab. B + fin. W. 140 cm 6 459 077 + fab. B + fin. W. 160 cm 6 459 078 + fab. B + fin. W. 180 cm 6 459 079 + fab. B + fin.





Set of clamps

> Essential for attaching the desktop screen > For 25 to 30 mm thick desktops

> 2 choices of finish: white SO or aluminium grey SA

Set of standard clamps: to be placed on single desk, at the front or on sides 6 459 084 + fin.

Set of double clamps: to be placed on double desks, in face-to-face or lateral position


all ranges (except 4Line) 6 459 086 + fin. specific to 4Line (see p. 44) 6 459 090 + fin.

4 choices of finish (+ top)











2 choices of finish for structure, clamps and accessories (+ fin.)



Manufactured

ISC

14001

Puebli accessories

- > Slide into position on the accessories rail, creating a practical and organised workstation.
- > Specifically designed for use with standard desktop screens.
- > Lacquered epoxy steel in 2 choices of finish: white or aluminium grey
- > Max. weight per screen: 3 kg. Curved desktop screens may only accommodate pencil cup accessory. Add-on letter trays can be attached to the underside of a starter tray or shelf.



> Pencil cup W. 7.5 x D. 7.3 x H. 15.2 cm



> Letter tray W 33.5 x D 23 cm

Starter unit - H. 5.4 cm 7 520 002 + fin. 7 520 003 + fin. Add-on - H. 7.1 cm



Suarante

5

vears

> Shelf W. 45 x D. 21 x H. 5.9 cm

Made in

7 520 001 + fin.


140 ComplementaryUnits / Altuglas®DesktopScreens



Altuglas® panels for frontal desktop screen

- > Straight Altuglas® screens with light diffusing properties, 4 mm thick
- > Can be fitted to desktops without structural pedestal. For desired configurations including structural pedestal, contact us for details.
- > Metal clamps to be purchased separately. Composed of flat metal plates secured to one side of the panel. Attached with round-headed screws. Aluminium grey finish.

4 choices of Altuglas® colour (+ col.)



■ Altuglas® panels for lateral mobile desktop screens

- > Curved Altuglas® screens adapted to lateral desk positioning, with light diffusing properties, 4 mm thick
- > Fitted to desktops by means of integrated mobile supports (does not require purchase of clamps).


4 choices of Altuglas® colour (+ col.)



80 80

W. 80 cm 1 067 684 + col.

■ 2nd level rails



Mounts for 25-34 mm thick desktops

> Set of 2 mounts complete with clamps for freestanding or face-to-face desks

 Free-standing desk
 7 466 016 + fin.

 Face-to-face desks
 7 466 015 + fin.

Double-sided rails

Paper tray - starter unit W.33.5 x D.23 x H.5.4 cm

> Designed to carry accessories from the Puebla and Dualis ranges (see below) - rail-mounted lamps (see p.147) - flat-screen monitor arms (see p.142)

W. 120 cm 7 466 002 + fin. W. 160 cm 7 466 004 + fin.

■ 2nd Level accessories



Puebla

> Lacquered epoxy steel > Add-on paper trays can be attached beneath a starter tray or shelf.

7 467 001 + fin.

Paper tray - add-on unit		
W.33.5 x D.23 x H.7.1 cm	7 467 002 + fin.	
Shelf		
W.45 x D.21 x H.5.9 cm	7 467 006 + fin.	
Pencil cup		
W.7.5 x D.7.3 x H.15.2 cm	7 467 004 + fin.	
File holder		
W.33.5 x D.27.3 x H.23.2 cm	7 467 005 + fin.	
Triple section paper holder		
W.44.1 x D.23.2 x H.23.9 cm	7 467 007 + fin.	

2 choices of finish (+ fin.)



From stock

Dualis

> Made from white polypropylene and black recycled polypropylene. 2nd level accessories which are equally at home standing on the desktop. Set of 2 aluminium adapters 7 541 001 SA (one for each element to be fixed to a rail) White Black Letter tray W.33.4 x D.26.8 x H.7 cm 7 541 002 + col. Set of 4 spacers Increases space between 2 stacked letter trays by 5 cm 7 541 007 + col. Magazine holder 7 541 005 + col. W. 26.2 x D. 11.2 x H. 33 cm Triple section paper holder W. 27.5 x D. 25.4 x H. 7 cm 7541008 + col.Pencil cup W. 14.4 x D. 8.3 x H.10 cm 7541006 + col.Adhesive tape dispenser W. 14 x D. 7 x H. 5 cm 7 541 004 + col. Waste bin 18 L W. 25.5 x D. 25.8 x H. 34.5 cm 7 541 003 + col.





2 choices of finish (+ col.)



142 ComplementaryUnits / WorkstationExtras&Accessories

■ Economy flat-screen monitor arm



Mounted on worktop

> Can be attached by clamp to the desktop or fitted in the cable port ø 8 cm (installation not included - please contact us for further information) > Clamp for desktops 6 to 42 mm thick > Universal fitting, compatible with VESA plate 75 or 100 mm > Dim. arm: H 46 x W. 41.3 cm > Max. load: 8 kg > In an aluminium grey finish (From stock)

4 articulations

6 445 020 SB



For attachment to a rail

> Attaches to acoustic desktop screens (see p. 138) and 2nd level rails (see p.141) > Universal fitting, compatible with VESA plate 75 or 100 mm > Model with 2 articulations: max. load - 8 kg, W.13 cm > Model with 3 articulations: max. load - 6 kg, W. 24.5 cm > In an aluminium grey finish (from stock) > Optional extra (see below): Slider

1 2 articulations 2 3 articulations

6 445 003 SB

6 445 004 SB

■ Designer flat-screen monitor arm



For attachment to the desktop

Clamp for desktops 16 to 80 mm thick > Universal fitting, compatible with VESA plate 75 or 100 mm > Dim. arms: H. 41 x W. 52.8 cm > Max. load: 15 kg > In an aluminium grey finish (from stock)

4 articulations

6 445 032 SB





For attachment to a rail

> Attaches to 2nd level rails (see p.141) > Universal fitting, compatible with VESA plate 75 or 100 mm > Model with 2 articulations: max. load 12 kg, W.14 cm > Model with 3 articulations: max. load 10 kg, W. 34 cm > In an aluminium grey finish (from stock) > Optional extra (see below): Slider

1 2 articulations 2 3 articulations

6 445 028 SB 6 445 029 SB



Slider

- > Allows adjustments to monitor height
- > Max. load: 6 kg
- > In an aluminium grey finish (from stock)

6 445 030 SB

Keyboard trays



Budget keyboard shelf

> Made from ABS in a graphite grey finish (from stock) > Attaches to underside of desktop > Pull-out mouse shelf for left or right-handed users > Overall width: 57 cm > Usable Dim.: W. 49 x D. 22 cm

6 505 002 PY




Adjustable keyboard shelf

> Attaches to underside of desktop > Made from pressed steel in a black finish (from stock) > Adjustable height from 6 to 10 cm > Adjustable in depth by 5 cm > Usable Dim.: W. 74 x D. 34 cm

6 505 003 SG



2 choices of finish (+ fin)



Aluminium Granhite

De luxe keyboard shelf

> Made from metal in a graphite grey or aluminium epoxy finish > Attaches to underside of desktop > Adjustable height from 7 to 10.5 cm > Overall width: 60 cm > Usable Dim.: W. 57 x D. 30.5 cm

6 505 001 + fin.



Multimedia stands and accessories



Laptop stand

> Made from aluminium (from stock) > 360° rotation > Adjustable: 6 positions > Usable Dim.: W. 24 x D. 30.5 cm

7 466 031 ZA



Tablet PC stand

- > Made from metal in an aluminium grey ZA finish (from stock)
- > Universal tablet stand
- > Can be used in horizontal or vertical positions and be placed on a desk or fixed to desktop screens p. 138-139
- > Dim: W. 22.5 x D. 11 x H. 15.5 cm

7 626 011 7A

■ Fixed CPU holders



Budget CPU holder for attachment to the desktop

> Holder in an aluminium grey finish, attaches to the desktop using wood screws > CPU secured in position by 2 adjustable straps > Dim: W. 27 x D. 15 x H. 4 cm > Max. load: 30 kg

6 443 034 SA

■ Mobile CPU storage unit





Beech Cherry

From stock

Melamine storage unit

- > Unit fitted with 4 castors > Open-back CPU compartment and 3 shelves > Usable Dim. - CPU compartment: W. 25 x D. 49 x H. 49 cm > Overall Dim.: W. 57 x D. 50 x H. 59 cm > Shelves W. 24.8 cm
- > Max. load: 60 kg

6 443 003 + top

Mobile CPU holders



Metal holder

> Holder in an aluminium grey finish (from stock) fitted with 4 castors > Adjustable width from 8 to 25 cm $\,>$ Overall Dim.: W. 17/34 x D. 24 x H. 20 cm > Max. load: 40 kg

6 443 026 SB





Metal holder with straps

> Sheet steel support in an aluminium epoxy resin finish (from stock) fitted with 4 castors, 2 of which are lockable > CPU secured in position by 2 adjustable straps > Dim: W. 20 x D. 48 x H. 6 cm > Max. load: 30 kg

6 443 035 SA



Mobile ABS holder

> ABS support in a grey finish (from stock) fitted with 4 castors > Adjustable width from 13 to 23 cm > Overall Dim.: W. 32/42 x D. 34 x H. 23 cm > Max load: 30 kg

6 443 002 PH



■ Mobile CPU pedestals





3 choices of decorative finish (+ top)



From stock





SO SA Aluminium White

From stock On request

Mobile melamine CPU pedestal

> Perforated melamine shell fitted with 4 castors > Usable Dim. - CPU compartment: W. 20.4 x D. 47.8 x H. 44 cm > Overall Dim.: W. 24 x D. 50 x H. 53 cm > Opening at the back of the pedestal: 24 x 20.4 cm > Max. load: 60 kg

Mobile metal CPU pedestal

> Perforated metal shell fitted with 4 castors and removable back panel > Overall Dim.: W. 25 x D. 51 x H. 48.3 cm > Usable Dim. - CPU compartment: W. 19.5 x D. 51 x H. 45 cm > Max. load: 40 kg

144 ComplementaryUnits / ComputerWorkstations

Multimedia stands and workstations



Height-adjustable mobile multimedia stand

> Melamine beech aspect top 19 mm thick, metal structure in an aluminium epoxy finish (from stock) > Dim: W. 50 x D. 40 cm > Straight edges covered in PVC > Height adjustable from 69 to 110 cm > Max. load: 40kg

6 499 015 MX SB



Multimedia trolley

> Melamine top in a beech finish 19 mm thick, tubular support structure ø 40 mm, in an aluminium grey finish (from stock) > Dim: W. 60 x D. 48 x H. 79 cm > Built-in handle > Max. load: 80 kg

6 499 014 MX SB

3

4 choices of finish (+ top)







aluminium grey Graphite grey

From stock

Multi-purpose trolley

> Structure in a lacquered graphite grey or aluminium grey finish (from stock) > Melamine top 25 mm thick > Overall Dim.: W. $50 \times D$. $40 \times D$ H. 64 cm > Lower shelf: W. 40 x D. 30 cm > Height between top and shelf: 39.5 cm

6 499 009 + top



Computer tower



3 choices of finish (+ top)



Beech -Aluminium Aluminium black

From stock

■ Computer and video cupboards



3 choices of shell + tambour door finish (+ cat)







Aluminium From stock





> Allows the user to work and view the monitor from a standing position > Melamine top and shelves 19 mm thick, metal structure > Fitted with 4 castors, 2 of which are lockable > Height-adjustable pull-out keyboard shelf and additional melamine shelves > Overall Dim.: W. 78 x D. 45 x H. 120 cm

6 497 040 + top

6 497 041 SG

Additional pull-out shelf 6 497 042 + top **CPU** holder

> One piece construction cupboard shell with PVC tambour doors (M1 fire resistant) > Fitted with 4 castors, 2 of which are lockable > Features ventilation holes and cable ports in the back panel of the cupboard > 3 graphite grey shelves and inside walls fitted with 2 clip-on DVD storage units > 1 pull-out keyboard shelf (for computer cupboards only) > Dim: W. 100 x D. 55 x H. 176 cm

Video cupboard

4 448 002 + cat

Computer cupboard

4 448 001 + cat

Mobile compact workstation



> A compact and ergonomic melamine workstation designed to accommodate all IT accessories > Fitted with 5 castors, 2 of which are lockable > Overall Dim.: W. 90 x D. 60 x H. 90 cm

6 497 036 + top







From stock



Computer desk

> Metal structure with melamine tops 19 mm thick > Height-adjustable keyboard shelf and telescopic lower shelf > CPU holder can be positioned either side of the unit and is adjustable from 0 to 25 cm - Max. load 30 kg > Overall dim. (CPU holder in folded position): W. 90 x D. 50 x H. 81 cm

6 497 038 + top

3 choices of decorative finish (+ top)







Beech -Aluminium Aluminium black

From stock

Cable Management





Cable ports

> Allows power cables to be fed through from desktops to the legs > Square or circular models > Dim.: circular ø 8 cm and square 9.5 x 9.5 cm ((hole saw cut opening - price excluding fitting contact us for details) > Made from ABS in an aluminium grey finish.

Circular cable port 1 990 003 OI Square cable port 6 478 008 OI



Cable brackets

> Sold in pairs > Feature 5 compartments to facilitate segregated cable routing and securing > For attachment to the underside of the desktop using the wood screws supplied

W. 17 cm 6 478 048 OF



Metal cable column

> Circular or square section laser-cut cable channel made from tubular steel (1.5 mm thick) > Cables are routed through the inside of the column > Attaches to the desktop using wood screws

Square section column 6 478 077 + fin. 60 x 60 cm Circular section column ø 70 mm 6 478 078 + fin.



Power centre for cable troughs

> Designed to fit in cable trough > Mains cable (3 m long) supplied > Comprises 3 sockets PC EUR or 2 sockets PC UK > Dim.: W. 20 x D. 6 x H. 4 cm > Black finish

6 478 060 Europe UK & IRL 6 478 059



Cable trough attaches to the 4most crossbeam

> Attaches to the crossbeam of 4most desks (see p. 56) or to the underside of all other System furniture desktops > Facilitates storage of trailing sockets and wires > Metal 10/10, height 10 cm

For desktops W. 120 cm W. 90 cm 2 083 819 + fin. For desktops W. 140 to 180 cm W. 130 cm 2 083 818 + fin.



2 choices of plastic colour (+ col.)



Vertical vertebral cable holder

> Dual channel plastic cable holder > Combines aesthetics with functionality by protecting cables descending from desktops to the floor

> Attaches to the worktop using wood screws or

H. 81.5 x ø 6.1 cm 6 478 001 + col.



Power centre - attachment to the

> Attaches to the desktop by means of 2 stirrup clamps (H. 5 cm) > 3 sockets PC EUR and 2 data sockets RJ45 > Dim.: W. 25 x D. 8 x H. 8 cm > Finish in an aluminiium grey/black Not suitable for UK + IRL

6 478 007 Europe



Swivel-action power/data socket housing

> Built-in lacquered steel housing on swivel mechanism, with power and data sockets (2 PC + 2 RJ45) > Dim.: W. 31.6 x D. 14.7 cm > In analuminium grey finish > When placing an order, please specify the desired quantity and position of the housings on a drawing. European sockets only

With feeder cables 6 478 022 SA Without feeder cables 6 072 169 SA



Cable trough - attaches to underside of desktops

> Single point of attachement at the centre of the desktop > Adjustable to one of three predetermined heights (10.5 - 13.5 - 16.5 cm) locks in position without need for tools > Two holes in the back allow cables to pass through > Suitable for all types of desks > Dim.: W. 10 x H. 10 cm > In an aluminium grey finish

W. 105 cm 6 478 074 SB W. 145 cm 6 478 075 SB



Multi-purpose cable holder

> Composed of 4 compartments > Attaches to any surface and in any position, using the double-sided tape supplied > Made from ABS in a black finish

H.60 x W.7 cm 6 478 003 OF



Retractable power tower

> Ideal solution for meeting tables > 3 sockets PC EUR or 2 UK sockets and 2 data sockets RJ45 > Dim.: H. 32 x ø 12.5 cm (price excluding fitting contact us for more information) > Aluminium arev/black finish

Europe 6 478 005 UK & IRL 6 478 006



ABS top access cover

> Injection moulded ABS in an aluminium grey finish > Rectangle 24 x 12 x 2.5 cm > Allows cables to be fed through from desktops to the

W. 24 cm 6 478 079 OI

146 ComplementaryFurniture / LEDLamps



Snake

> Fitted with 1 x 3 W LED > 280 lumens > Max. height: 50 cm > Adjustable arm and head > 3 choices of finish from stock: black ZD, aluminium ZA, plum ZZ from stock or 4 choices of finish on request: green ZW, white SO, pink ZX or blue ZV (+ fin.)

7 043 003 + fin.



> Fitted with 1 x 6 W LED > 420 lumens > Max. height:

55 cm > Touch-sensitive light switch on base - 3 brightness settings > Adjustable arm and articulated head > Two-tone grey finish



■ Bloom

> Fitted with 50 x 0.1 W LED's > 420 lumens > Max. height: 54 cm > Adjustable arm and head > 2 choices of finish from stock: black ZD or red ZY or 2 choices of finish on request: white OD or blue ZV (+ fin.)

7 041 002 + fin.



> Fitted with 48 x 0.125 W LED's > 420 lumens > Max. height: 80 cm > Transformer on plug > Adjustable double arm and head > Aluminium ZA finish from stock or aluminium/black ZD finish on request (+ fin.)



Toukan

> Fitted wit a 6.5 W LED circuit > 340 lumens > Max. height: 50 cm > Night light function > Adjustable head > 2 choices of finish: gloss black OF or white OG (+ fin.)

7 044 003 + fin.



Neo

> Fitted with 20 x 0.5 W LED's > 630 lumens > Max. height: 80 cm > Adjustable and fully articulated double arm and head > Black ZD finish from stock or grey ZU finish on request (+ fin.)

7 056 002 ZU



Pure

- > Fitted with 15 x 0.6 W LED's > 300 lumens > Max. height: 48 cm > Touch-sensitive switch with
- 7 brightness settings > Adjustable arm and head
- > Aluminium finish

7 465 004 + fin.



■ Galaxy

> Fitted with 1 x 9.5 W LED > 390 lumens > Max. height: 55 cm > Head adjustable through 180° and articulated through 280° > Touch-sensitive switch with 5 brightness settings on base > Allen key supplied (attached under the base) > Aluminium

7 057 002 + fin.



■ Tilly

> Fitted with 27 x 0.4 W LED's > Between 90 and 400 lumens > Max. height: 44.7 cm > 4 light colour temperature settings, 4 brightness settings > Built-in USB port > Built-in timer system to encourage energy savings > 2 choices of finish: gloss black OC or gloss white OD (+ fin.)

7 052 002 ZA



7 059 002 ZU

7 042 002 + fin.

ComplementaryFurniture / FluorescentLamps 147



■ Starlet

- > Fitted with an 8 W E27 light bulb
- > 350 lumens
- > Lacquered steel lamp with metallic arm in a chrome finish
- > Adjustable head
- > Max. height: 40 cm
- > 3 choices of colour from stock : black ZT, red ZY or white ZS
- > 2 choices of colour on request : green ZW or pink ZX (+ col.)

7 431 002 + col.



■ Fco

> Fitted with an 11 W G23 light bulb > 900 lumens > Max. height: 67 cm > Lacquered steel lamp, ABS head > Adjustable double arm and head > 2 choices of finish: aluminium ZA or black ZD (+ fin.)



Study

> Fitted with a 20 W E27 light bulb > 1152 lumens > Max. height: 59 cm > Translucent polycarbonate head > Adjustable arm and head > Lacquered steel in an aluminium finish



Office

- > Fitted with a 20 W E27 light bulb > 1152 lumens > Steel arm in an epoxy resin aluminium finish
- > Adjustable and articulated arm/head > Max.

height: 95 cm > Supplied with base and optional desk-clamp > Colours: aluminium/black





■ Cosy

- > Fitted with a 23 W E27 light bulb > 1550 lumens > Steel arm in an epoxy resin aluminium finish
- > H. 66 cm > Matt white polycarbonate lampshade
- > Aluminium finisH OGZA

Base-mounted 7 341 008 OGZA Rail-mounted 7 341 019 OGZA Stem-mounted 7 341 006 OGZA 7 429 116 ZA



Totem

7046006 + col.

> Fitted with a 12 W E27 light bulb > 700 lumens > H. 56 cm > Metal base covered in high gloss paint > Translucent PVC lampshade > 2 choices of colour gloss black OC or gloss white OD (+ col) Matching uplighter, see page 148



7 432 002 ZD



Delta

> Fitted with an 11 W G23 light bulb > 900 lumens > Lacquered steel > Adjustable arm and head > Fitted on a weighted base - max. height: 103 cm or on rail max. height: 126 cm > 2 choices of finish: aluminium ZA or graphite grey ZB (+ fin.)

Rail 7 631 002 + fin. Base 7 631 004 + fin.



148 ComplementaryFurniture / Lighting - Uplighters



2 Venus

> fitted with 4 x 20 W E27 compact fluorescent light bulbs > 4600 lumens > Articulated metal structure > Max. height: 186 cm > 2 choices of finish: aluminium ZA or black ZD (+ fin.)

5 Naos

7 019 015 ZA

> fitted with 2 x 55 W 2G11 fluorescent light bulbs > 4650 lumens > H. 190 cm > Direct and indirect illumination > Aluminium finish

7 046 005 + col.

6 Forum

> fitted with 4 x 55 W fluorescent light bulbs > 19200 lumens > H. 192 cm > Multi-position light switch > Polycarbonate reflector in a translucent satin finish > Direct and indirect illumination > Metal in an aluminium finish

7 469 001 ZA

7 047 002 + fin.

7 470 002 ZA



Wotan

> H. 178 cm, base Ø 34 cm > Steel structure in a grey varnished finish > 8 coat pegs, 4 bag hooks and umbrella rings in matching finish > Coat peg colours: black OF, translucent blue OE from stock or orange QI, green OM, yellow OY on request

7 416 001 + col.

4 Tulipano

> H. 175 cm, base ø 32 cm > Steel structure in a chrome finish > 6 coat pegs, 4 bag hooks and umbrella ring in black polypropylene

7 272 002 SQ

Marthy

> H. 175 cm, base Ø 38 cm > Supplied with 6 coat hangers > Steel structure in a varnished beech finish > 4 bag hooks and built-in umbrella stand > Finish: aluminium epoxy resin

7 413 001 ZA

■ Aloes coat pegs (wall-mounted)

> H. 7 x W. 42 cm > Aluminium structure and varnished beech coat pegs > Screw fixings supplied



Sequoia

> H 174 cm, base Ø 60 cm > Steel structure in a black varnished finish > 8 coat pegs and 4 umbrella rings > 2 choices of finish from stock : black ZD or white SO, on request : red LK

7 415 001 + col.

5 Aloes

> H. 170 cm, base ø 36 cm > Steel structure > 6 oblong varnished beech coat pegs > Built-in umbrella stand > Finish: aluminium ZA epoxy resin or beech coat pegs from stock, or violet ZR epoxy resin finish and white coat pegs on request

7 367 004 ZA 7 367 004 ZR

Basty

> H. 180 cm, base \emptyset 32 cm > Steel structure in a chrome finish > Coat pegs and umbrella ring in black polypropylene > 4 black bag hooks

7 414 001 SQ

6 Yin

> H. 160 cm, base Ø 34 cm > Steel structure in an epoxy resin finish > 5 coat pegs and 5 bag hooks > 5 choices of finish: aluminium SB from stock or white SO, black SG, violet ZR, orange OR, green QL on request

7064003 + col.

■ Magnetic coat pegs

> Metal structure > Back coated in a non-slip protective coating > Can be attached to any metal surface > Aluminum epoxy resin finish



7 Aloes and 8 Corolle

> H. 12.6 x W. 8 cm > will support weights of 9 up to 11 kg

Aloes 7 367 002 ZA Corolle 7 552 001 OI

> H. 13.1 x W. 9.5 cm > will support weights of 9 up to 11 kg > Finish: aluminium SB from stock or white SO, black SG, violet ZR, orange OR, green QL on request

7 064 001 + fin.

■ Mobile coat rail

> H. 169 x W. 148 x D. 54 cm > Mobile coat rail with storage space for hats > Polypropylene castors of which 2 are self-locking > Steel in a chrome SQ or black ZD finish > Flat-packed



Set of 12 black polypropylene coat hangers 7 417 004 OF

7 367 006 ZA


150 ComplemenaryUnits / DesktopAccessories

Axiane



4 choices of finish (+ fin.)

ZA	QL	ZR	ZQ
Aluminium	Aniseed	Violet	Clay grey





> Range of steel desktop accessories coated in matt epoxy resin
> Stackable letter trays fitted with protective non-slip pads > The tablet PC
stand can be placed on a desk or fixed to desktop screens p.138-139
> Cylindrical waste bin with built in handle > Desk mat made from 4 mm
thick polyurethane foam, in a graphite grey finish > Finish: aluminium grey
ZA from stock; violet ZR, clay grey ZQ and aniseed green QL on request

Stackable letter tray W. 25.5 x D. 35.5 x H. 8 cm	7 626 010 + fin.
Pencil cup W. 8 x D. 6.5 x H. 13.2 cm	7 626 007 + fin.
Pen tray W. 31 x D. 13 x H. 3.2 cm	7 626 008 + fin.
Letter rack W. 26 x D. 13 x H. 13.2 cm	7 626 005 + fin.
Tablet PC stand W. 22.5 x D. 11 x H. 15.5 cm	7 626 011 + fin.
Desk mat W. 72 x D. 52 cm	7 626 001
Cylindrical waste bin - 16 litres H. 35 x ø 26 cm	7 626 004 + fin.

■ Clarys



- > Range of high quality acrylic desktop accessories
- > Set includes:
- 1 letter tray
- 1 desk pad holder 9 x 9 cm (bloc of paper sold separately)
- 1 letter rack
- 1 pencil cup
- 1 pen tray
- 1 adhesive tape dispenser
- > Desk mat sold separately > Transparent aspect

Complete set

6 items 7 542 002

Desk mat

W. 60 x D. 50 cm 7 542 001

■ Artheo



> Range of ABS (recycled - black finish) desktop accessories in a satin matt finish > Stackable letter trays - vertically or offset > Spacers for separating 2 trays at 50 mm intervals > Dual compartment pencil cup > Desk mat 1.5 mm thick in a black finish, non-reflective polyvinyl surface, non-slip felt underside > Finish: black OF or aluminium grey OI

Black Aluminium

		DIUCK	Alullillillilli
Stackable letter tray B. 29 x D. 36 x H. 7.5 cm	7 524 014 + col.		
Set of 4 spacers B. 3 x H. 8 cm	7 524 016 + col.		
Pencil cup B. 11 x D. 7 x H. 10 cm	7 524 017 + col.		
Desk mat B. 55 x D. 40 cm B. 65 x D. 50 cm	7 524 001 OF 7 524 002 OF		
Waste bin - 16 litres B. 36 x D. 21 x H. 31.8 cm	7 524 020 + col.		

■ Simpli



> Range of acrylic and ABS desktop accessories > Desk mat and mouse mat in black simulated leather. Topstitching and edges in violet or white > Stackable letter tray - vertically or offset > Finish: white OD or violet QE from stock

Stackable letter tray

W. 26.8 x D. 33.3 x H. 5 cm 7 540 002 + fin.

Pencil cup

W. 7 x P. 7 x H. 13 cm 7 540 001 + fin.

Stapler

W. 12 x D. 4 x H. 5.5 cm 7 540 003 + fin.

Mouse mat

W. 20 x D. 25 cm 7 540 004 + fin.

Desk pad holder + bloc of paper

W. 11 x D. 11 x H. 4 cm 7 540 006 + fin.

Magazine holder

W. 7.1 x D. 25 x H. 30.6 cm 7 540 007 + fin.

Paperclip dispenser

W. 9.5 x D. 9.5 x H. 5.5 cm 7 540 008 + fin.

Desk mat

W. 60 x D. 45 cm 7 540 005 + fin.

■ Cinta



- > Top of the range collection of simulated leather accessories
- > Clean design and soft to the touch > Finish: black from stock

Dual compartment pencil cup

W.13 x D. 6 x H. 10.7 cm 7 530 001 YA

Mouse mat

W 22 x D. 20 cm 7 530 003 YA

Desk pad holder + refill pad

W. 20 x D. 10 x H. 3.6 cm 7 530 004 YA

Paperclip dispenser

W. 7.5 x D. 7.5 x H. 1.1 cm 7 530 005 YA

Desk mat

W. 60 x D. 49 cm 7 530 002 YA

■ Metal waste bins



- > Waste bins and umbrella stands made from steel or extruded metal, epoxy lacquered finish
- Waste bin extruded metal 20 L

H. 35 x ø 29.5 cm 7 438 020 + fin.

Cylindrical waste bin - non-perforated steel - 12 L H. $30.5 \times \emptyset$ 24 cm 7 438 022 + fin.

3 Cylindrical waste bin - perforated steel - 12 L H. 30.5 x Ø 24 cm 7 438 021 + fin.

4 Umbrella stand - 28 L

H. 60 x Ø 23.5 cm 7 438 023 + fin.

(Select sorter bin available p. 152)

2 choices of finish (+ fin.)





Aluminium Black arev

From stock

■ Select sorter bin



Select

> Stackable waste sorting compartments with handles > Polypropylene in aluminium OI finish or black OF recycled ABS > Waste paper bin for A4 documents laid flat - capacity 26 litres > Dim. : H. $34.5 \times W$. $24.4 \times D$. $33 \times D$

Waste paper bin - 26 litres

7 455 002 + col.

2 Waste bins - 5 litres

> Attaches to the inside or outside of the waste bin

H. 18.2 x W. 17.3 x D. 23.6 cm

7 455 003 + col.

3 Waste bins - 9 litres

> Attaches to the inside or outside of the waste bin

H. 34.6 x W. 17.3 x D. 23.6 cm

7 455 004 + col.

4 Lid for 5 and 9 litre bins

7 455 001 + col.

2 choices of colour (+col.)





Aluminium Black
From stock

■ Footrests



Arsena

> Black ABS > Adjustable in height (2 settings) and tilt (6 angles) > Height at front: min. 6 cm – max. 15 cm. Height at rear: min. 9 cm – max. 14 cm.

W. 45 x D. 37.5 cm

7 419 050 OF



Marysa

> Black ABS > Rubber non-slip mat > Adjustable in height (4 settings) and tilt (4 angles) > Height at front: min. 3 cm - max. 6.5 cm. Height at rear: min. 8 cm - max. 12.5 cm.

W. 37 x D. 25 cm

7 419 051 OF



Warm'up (On request - European sockets only)

> Grey ABS with synthetic mat > Continuously adjustable temperature settings, from 30 to 45°, 220 V / 35 W > Fast heating > Controls and indicator light on front > Not available in the UK & IRL.

W. 45 x D. 39 cm

7 419 052 OI



Door mat



> Made from polypropylene > Vinyl borders > 8 mm thick > For indoor use > Mottled grey finish

W. 90 x D. 60 cm 7 539 017 QG 7 539 018 QG W. 120 x D. 90 cm

■ Chair mats



> Made from transparent polycarbonate > 2 mm thick > For hard floors and carpets > Transparent finish

1 for hard floors

W. 120 x D. 90 cm 7 539 005 PV W. 150 x D 120 cm 7 539 007 PV

2 for thick carpets

W. 120 x D. 90 cm 7 539 006 PV W. 150 x D. 120 cm 7 539 008 PV

Clocks

Comply with current European CE and ROHS standards.

Several choices of colour available





2 | Integrated thermometer and hygrometer



Large diameter (ø 60 cm)

> Batteries not included

1 Pep's

> Quartz clock mechanism > ABS dial ø 30 cm

7 446 008 + col.

3 choices of Pep's colour (+ col.)



From stock

On request

2 Tempo

- > Quartz clock mechanism > Thermometer and hygrometer functionalities
- > Aluminium dial ø 30 cm

ø 30 cm 7 446 009 OI

3 Biggy

- > Quartz clock mechanism > Ideal for large office spaces
- > ABS dial ø 60 cm

ø 60 cm 7 446 007 OI



































































