


SStorage Solutions



Easy Reach Storage Units

156

Melamine cupboards

158

Tambour cupboards

160

Safes - Safety cupboards

168

Generic storage

170

Shelving

172

Lockers

177


■ **Open-sided storage box with metal sheet finish**



Inside made from white melamine, steel outer finish. Can be placed on a metal worktop height pedestal D. 80 cm, a cupboard D. 43.2 cm fitted with a decorative top or on any other desktop.

H. 40 x W. 80 x D. 43.2 cm
1 170 522 + fin.

5 choices of metal open box colour finish (+ fin.)



■ **Melamine Space box**



Melamine (25 mm thick) open front box with a base and back panel. Designed to be placed on a desk height pedestal D. 80 cm without decorative top, on a melamine desk height pedestal D. 80 cm, on a cupboard D. 43.2 cm or on any other desktop

H. 40 x W. 80 x D. 43.2 cm
1 170 521 + fin.

2 choices of melamine shell finish (+ fin.)



■ **Open storage column**



Column - 1 shelf

H. 71 x W. 43.2 x D. 43.2 cm
1 170 524 + fin.

Column - 3 shelves

H. 113.5 x W. 43.2 x D. 43.2 cm
1 170 525 + fin.

■ **Cupboards with choice of Altuglas® or melamine sliding doors**



Two possible configurations: placed on top of a melamine cupboard with sliding doors or alternatively as an independent storage unit on support feet

■ **Drawer credenza**



Melamine shell; 3 drawers including 1 for suspension files. Metal drawers with telescopic ball-bearing runners. Open to a depth of 100%. Central locking. A4 filing optimised

H. 71 x W. 82.5 x D. 43.2 cm
1 170 527 + top + fin.

Melamine cupboard with Altuglas® sliding doors - to be superimposed

H. 42.5 x W. 165 x D. 43.2 cm

Front side user access 1 170 529 + col. + fin.

Front and back access 1 170 530 + col. + fin.

Melamine cupboard with Altuglas® sliding doors - on feet

H. 55.2 x W. 165 x D. 43.2 cm

Front side user access 1 170 725 + col. + fin.

Front and back access 1 170 726 + col. + fin.

■ **Swing door cupboard**



H. 71 x W. 80 x D. 43.2 cm
1 170 528 + top + fin.



Modules with H. 156 cm comprise a melamine cupboard with sliding doors (H. 113.5 cm) and a cupboard (H. 42.5 cm) with Altuglas® sliding doors. Provides an efficient solution for standing height visual segregation. Cupboards with H. 113.5 cm offer a seated height visual segregation


Decorative top

Melamine 25 mm thick. Wood grain pattern runs lengthwise along the top.



B. 43.2 x D. 43.2 cm 1 170 727 + top
B. 80 x D. 43.2 cm 1 170 728 + top
B. 82.5 x D. 43.2 cm 1 170 729 + top
B. 165 x D. 43.2 cm 1 170 730 + top

3 choices of decorative top finish (+ top)



Melamine cupboard H. 71 cm with melamine sliding doors

H. 71 x W. 165 x D. 43.2 cm

Front side user access 1 170 531 + top + fin.

Front and back access 1 170 532 + top + fin.

Melamine cupboard H. 113.50 cm with melamine sliding doors

H. 113.5 x W. 165 x D. 43.2 cm

Front side user access 1 170 533 + top + fin.

Front and back access 1 170 534 + top + fin.

Melamine cupboard composed of a lower section H. 113.50 cm featuring melamine sliding doors and a top section H. 42.50 cm with Altuglas® sliding doors.

H. 156 x W. 165 x D. 43.2 cm

Front side user access 1 170 535 + top + fin. + col.

Front and back access 1 170 536 + top + fin. + col.

Optional extras



- > Cupboards, storage columns and boxes made from 19 mm thick melamine panels – except on the H. 42.5 cm sliding doors model for which the base and structural top are 25 mm thick. Cupboards H. 113.5 cm are also fitted with a 25 mm thick top.
- > Cupboards H. 42.5 cm with Altuglass® doors. Built in circular chrome door handle. Cupboards not lockable. Can be placed on top of cupboards H. 71 and H. 113.5 cm.
- > Swing and sliding door cupboards with melamine doors. Recessed metal handles in matching finish over the full height of the cupboard. Central locking.
- > 3 drawer filing credenza comprising 1 filing drawer and 2 box drawers. Central locking.
- > Optional decorative top. The structural top matches the finish of the return shell.
- > Storage units finishes match the 4Most range finish (see page 56).

<p>Guarantee</p> <p>5</p> <p>years</p>	<p>Manufactured to</p> <p>ISO</p> <p>14001</p>
<p>Made in the E.U.</p> <p>in our facilities</p>	<p>PEFC™</p> <p>PEFC/07-22-197</p>



For melamine doors, recessed metal handles in matching finish to the cupboard shell



Altuglass® doors fitted with built in circular chrome door handles



Altuglass® sliding door cupboards can be placed on top of cupboards with melamine doors



Cupboards featuring sliding doors on either side, allowing user access from front and back



Cupboards H. 113.5 cm with sliding doors designed with a back panel (no visible joinery around the base, top and sides of the unit)




Optional cushion pads can be fitted to top of cupboards with Altuglass® sliding doors (see page 132)

2 choices of melamine shell finish (+ fin.)



MG Snow white
MH Aluminium grey

4 choices of Altuglas® sliding door finish (+ col.)



OA White
OB Smoke
OO Lagoon blue
OX Red

7 choices of melamine door and front panel finish (+ top)



MG Snow white
RI Light oak
RL Amber walnut
RU Taupe
RW Dark grey
RT Lagoon blue
RX Passion red



- > Shell, doors and shelves made from 19 mm thick melamine
- > Optional decorative top made from 25 mm thick melamine
- > Melamine doors and tops matching system furniture ranges
- > 6mm thick toughened glass doors
- > Wardrobe unit fitted with fixed shelf and coat rail, a vertical partition and further 3 small fixed shelves
- > Shelves are adjustable at 32 mm intervals
- > Maximum load: 80 kg per shelf

- > Metal handles matching cupboard
- > Adjustable stabilizer feet matching cupboard shell
- > Three point locking mechanism for high cupboards, single point locking mechanism on medium and low cupboards. Glass doors and filing units are not lockable

7 choices of decorative finish for doors and optional tops (+ door/top fin.)



MG	MA	MB	RI	MC	RH	RL
Snow white	White maple	Light beech	Light oak	Salmon beech	French Apple	Amber walnut
From stock						

3 choices of finish for cupboard shell (+ fin)

MG	MH	MY
Snow white	Aluminium grey	Graphite grey
From stock		

1 colour of frosted glass

GA
Transparent frosted glass
From stock

3 choices of colour for enamelled glass (+ col)

GS	GT	GU
White	Ruby	Mouse grey
From stock		

Optional extras



Optional decorative melamine top (25 mm thick)

D. 43.2 x W. 80 cm

2 423 483 + door/top fin.



Additional melamine shelf

W. 80 cm

2 423 494 + fin.



Set of 2 filing rails

W. 76 cm

2 423 036 OF



Metal shelf for lateral files

W. 80 cm

2 423 040 SC



Telescopic filing cradle

2 rows of suspension files in either forward-facing or lateral arrangement. Full depth extraction. A4 and foolscap filing

D. 35 x W. 70 cm

2 423 477 SG



■ High cupboards - 4 shelves

> H. 197.3 x W. 80 x D. 42.6 cm (D. 40.7 cm without doors)



Without doors	2 423 378 + fin.
2 melamine doors	2 423 484 + door/top fin. + fin.
4 melamine doors*	2 423 485 + door/top fin. + fin.
4 glass doors*	
- Transparent frosted glass	2 423 480 + fin. + GA
- Coloured enamelled glass	2 423 480 + fin. + col.
1/3 melamine doors + 2/3 bookshelves*	2 423 486 + door/top fin. + fin.
1/3 glass doors + 2/3 bookshelves*	
- Transparent frosted glass	2 423 481 + fin. + GA
- Coloured enamelled glass	2 423 481 + fin. + col.
1/3 melamine doors + 2/3 glass doors*	
- Transparent frosted glass	2 423 487 + door/top fin. + fin. + GA
- Coloured enamelled glass	2 423 487 + door/top fin. + fin. + col.
Wardrobe with 2 melamine doors*	2 423 493 + door/top fin. + fin.

■ Medium cupboards - 3 shelves

> H. 133.3 x W. 80 x D. 42.6 cm (D. 40.7 cm without doors)



Without doors	2 423 377 + fin.
2 melamine doors	2 423 488 + door/top fin. + fin.
2 glass doors	
- Transparent frosted glass	2 423 393 + fin. + GA
- Coloured enamelled glass	2 423 393 + fin. + col.
1/3 melamine doors + 1/2 bookshelves*	2 423 489 + door/top fin. + fin.
1/2 glass doors + 1/2 bookshelves*	
- Transparent frosted glass	2 423 482 + fin. + GA
- Coloured enamelled glass	2 423 482 + fin. + col.

■ Low cupboards -1 shelf

> H. 71 x W. 80 x D. 42.6 cm (D. 40.7 cm without doors)



Without doors	2 423 379 + fin.
2 melamine doors	2 423 490 + door/top fin. + fin.
2 glass doors	
- Transparent frosted glass	2 423 394 + fin. + GA
- Coloured enamelled glass	2 423 394 + fin. + col.
Filing cabinet (2 drawers)	2 423 491 + door/top fin. + fin.

*Cupboards fitted with fixed shelf



X'File



1 Rail for suspension files fitted to underside of cupboard top.



2 Interchangeable lock cylinders. Master key available on request.



3 Storage capacity for 6 rows of lateral files in H.198 cm and 3 rows in H. 105 cm.



4 Stabilizer feet built into the base. Quick and easy to adjust even when loaded (Allen key supplied).

4 choices of tambour door + shell finish (+ cat 1)

SESE	SDSD	SCSC	SGSG
Beige RAL1015	Light grey RAL7035	Graphite grey RAL7016	Black RAL9005

From stock

11 choices of tambour door + shell finish (+ cat 2)

SOSO	SOSB	SBSB	MASB	MBSB	MCSB	RHSB
White Ral 9010	White/ Aluminium grey	Aluminium grey Ral 9006	Maple/ Aluminium grey	Light beech/ Aluminium grey	Salmon beech/ Aluminium grey	French Apple/ Aluminium grey

From stock

RLSB	MBSC	MCSC	RHSC
Amber walnut/ Aluminium grey	Light beech/ Graphite grey	Salmon beech/ Graphite grey	French Apple/ Graphite grey

From stock

6 choices of tambour door + shell finish (+ cat 2)


RLSO	RISB	MJSB	SOSC	MASC	RISC
Amber walnut/ White	Light oak/ Aluminium grey	Wenge/ Aluminium grey	White/ Graphite grey	Maple/ Graphite grey	Light oak/ Graphite grey

Available on request (allow 4 to 5 weeks)



*Excluding tambour doors, locks and mobile accessories which are guaranteed for 2 years

■ One piece construction tambour cupboards




High cupboards H. 198 cm - 4 shelves + rail

W. 60 cm - on request	4 436 017 + cat 1 or 2
W. 80 cm	4 436 018 + cat 1 or 2
W. 100 cm	4 436 019 + cat 1 or 2
W. 120 cm	4 436 020 + cat 1 or 2


Cat 1

Cat 2




Screen height cupboards H. 160 cm - 3 shelves + rail

W. 80 cm - on request	4 436 014 + cat 1 or 2
W. 100 cm - on request	4 436 015 + cat 1 or 2
W. 120 cm - on request	4 436 016 + cat 1 or 2




High cupboards H. 135 cm - 2 shelves + rail

W. 80 cm - on request	4 436 010 + cat 1 or 2
W. 100 cm - on request	4 436 011 + cat 1 or 2
W. 120 cm - on request	4 436 012 + cat 1 or 2




Low cupboards H. 118.3 cm - 2 shelves + rail

W. 80 cm - on request	4 436 056 + cat 1 or 2
W. 100 cm - on request	4 436 054 + cat 1 or 2
W. 120 cm - on request	4 436 055 + cat 1 or 2




Low cupboards H. 105 cm - 2 shelves + rail

W. 80 cm - on request	4 436 006 + cat 1 or 2
W. 100 cm	4 436 007 + cat 1 or 2
W. 120 cm	4 436 008 + cat 1 or 2




Desk height cupboards H. 72.1 cm - 1 shelf for 2 files

W. 80 cm (1 tambour door) - on request	4 436 150 + cat 1 or 2
W. 100 cm - on request	4 436 151 + cat 1 or 2
W. 120 cm - on request	4 436 152 + cat 1 or 2




Desk height cupboards H. 69.5 cm - 1 shelf + rail

W. 80 cm	4 436 023 + cat 1 or 2
W. 100 cm - on request	4 436 024 + cat 1 or 2
W. 120 cm	4 436 025 + cat 1 or 2



Archive units H. 42.6 cm

W. 100 cm - on request	4 436 003 + cat 1 or 2
W. 120 cm - on request	4 436 004 + cat 1 or 2



Wardrobe units H. 198 cm

Wardrobe kit (W. 120 cm) - on request	4 436 022 + cat 1 or 2
Wardrobe shelf (W. 120 cm) - on request	4 436 021 + cat 1 or 2



■ Wardrobe units



> Wardrobe kit for cupboards H. 198 x W. 120 cm > Wardrobe shelves for cupboards W. 60 or W. 120 cm > Graphite grey finish

Wardrobe kit + 4 half-shelves (on request - allow 4 to 5 weeks)

W. 120 cm 4 470 034 SC

Wardrobe shelf (on request - allow 4 to 5 weeks)

W. 60 cm 4 470 032 SC

W. 120 cm 4 470 033 SC



■ Storage box



> Designed to fit in the top section of the cupboard X'File H. 198 x W. 120 cm > Lockable, 2 keys supplied > Graphite grey finish

Storage box (on request - allow 4 to 5 weeks)

H. 26 x W. 99 x D. 33 cm 4 470 049 SC



■ Acoustic cupboard backs



> Comprising a 3mm thick soundproof MDF frame padded with 15 mm thick absorbent melamine foam > Attaches magnetically > Fire-resistant upholstery (M1 rating) matching fabrics available for screens, desktop screens and chairs

For cupboards from stock

H. 198 x W. 120 cm 6 493 204 + fab. B

H. 198 x W. 100 cm 6 493 205 + fab. B

For cupboards on request (allow 4 to 5 weeks for delivery)

H. 160 x W. 120 cm 6 493 206 + fab. B

H. 160 x W. 100 cm 6 493 207 + fab. B

H. 105 x W. 120 cm 6 493 208 + fab. B

H. 105 x W. 100 cm 6 493 209 + fab. B



8 choices of fabric (+ fab.)

CR	CO	CK	UT	UO	DU	DO	DM
Light grey	Light blue	Beige	Glacier blue	Prairie green	Plum	Black	Vermillion red
From stock				On request			

■ Melamine tops



W. 120 cm 4 470 052 + top

W. 100 cm 4 470 051 + top

W. 80 cm 4 470 050 + top




8 choices of finish for tops (+ top)

	MG	MA	MB	RI	MC	RH	RL	MJ
	Snow white	White maple	Light beech	Light oak	Salmon beech	French Apple	Amber walnut	Chocolate wenge
	From stock				On request			

Optional extras

Suspension files

> Sold in packs of 50 > In A4 format orange kraft paper > Label holders across the full width of drawer files and on the side of cupboard files



	For cupboards	For drawers and cradles
V-shaped base	4 464 005 ZH	4 464 002 ZH
15 mm flat base	4 464 004 ZH	4 464 001 ZH
30 mm flat base	4 464 006 ZH	4 464 003 ZH





■ Telescopic cradles and cross-partitions



> With anti-tilt mechanism > Graphite grey finish > Option for cradle W. 120 cm: set of 2 cross pieces and 3 retainer clips designed to prevent overflow, for use with 3 rows of front-facing suspension files

Shell

W. 120 cm 4 470 045 SC
W. 100 cm 4 470 044 SC

(on request - allow 4 to 5 weeks)

W. 80 cm 4 470 043 SC

Cross pieces and retainer clips

Per set 4 470 046 SC



■ Additional shelves



> Designed to accommodate lateral files > Depth 36 cm

W. 120 cm 4 470 040 + fin.
W. 100 cm 4 470 039 + fin.

(on request - allow 4 to 5 weeks)

W. 80 cm 4 470 038 + fin.
W. 60 cm 4 470 037 + fin.

6 choices of finish from stock (+ fin)



From stock

■ Vertical dividers



> Set of 2 vertical dividers H. 19 cm > Graphite grey finish

Set of 2 dividers 4 470 042 SC

■ 16 compartment pigeon hole unit



> W. 104 x D. 33 x H. 32 cm > Designed to be placed on a shelf W. 120 cm > Usable dimensions of each compartment: W. 22 x D. 32 x H. 6 cm > Graphite grey finish

Pigeon hole unit 4 470 041 SC

■ Other telescopic fittings



> Graphite grey finish

Reference shelf

W. 120 cm 4 470 048 SC

(on request - allow 4 to 5 weeks)

W. 100 cm 4 470 047 SC

Telescopic shelf with anti-tilt mechanism (on request - allow 4 to 5 weeks)

W. 120 cm 4 470 091 SC

Set of 2 dividers for telescopic shelves (on request - allow 4 to 5 weeks)

4 470 092 SC



■ Multi-purpose storage containers



> For use with telescopic filing cradles or simply placed on a shelf > Supplied with 5 dividers > Graphite grey finish

CD holder

W. 16.5 x D. 34.8 x H. 11.7 cm 4 470 077 SC

A4H card holder

W. 31.7 x D. 34.8 x H. 18.5 cm 4 470 078 SC

A5V card holder

W. 16.5 x D. 34.8 x H. 11.7 cm 4 470 080 SC

A5H card holder

W. 22.6 x D. 34.8 x H. 14.5 cm 4 470 079 SC





■ Cupboards - One piece construction



- > Cupboards with triple-slat PVC tambour doors (M1 fire resistant) with flat bottom
- > 2 choices of finish matching the System desktops : category 1 or category 2
- > 2 shelves (H.100 cm) or 4 shelves (H.198 cm) in a black finish, suited for lateral files
- > Top section designed to house lateral files
- > Lock mechanism supplied complete with 2 keys, including 1 folding key
- > 4 adjustable stabilizer feet

Cat 1 Cat 2

High cupboards - 4 shelves + 1 - H. 198 x D. 43 cm

W. 100 cm	4 425 019 + cat 1 or 2		
W. 120 cm	4 425 002 + cat 1 or 2		

Low cupboards - 2 shelves + 1 - H. 100 x D. 43 cm

W. 100 cm	4 425 020 + cat 1 or 2		
W. 120 cm	4 425 001 + cat 1 or 2		

4 choices of tambour door + shell finish (+ cat 1)

SESE	SDSD	SCSC	SGSG
Beige RAL1015	Light grey RAL7035	Graphite grey RAL7016	Black RAL9005

From stock

6 choices of tambour door + shell finish (+ cat 2)

SOSO	SBSB	MBSB	MCSB	MBSC	MCSC
White Ral 9010	Aluminium grey Ral 9006	Light beech/ Aluminium grey	Salmon beech/ Aluminium grey	Light beech/ Graphite grey	Salmon beech/ Graphite grey

From stock



■ Tambour cupboards - 'Fun' range



> Cupboards with quadruple-slat PVC tambour doors (M2 fire resistant) with flat bottom > White (SO) or aluminium (SB) shell > 4 shelves (H.198 cm) or 2 shelves (H.100 cm) in a black finish, suited for suspension files > Top section designed to house a lateral files < 4 adjustable stabilizer feet

High cupboard - 4 shelves + 1
H. 198 x W. 120 cm 4 425 002 + fin.

Low cupboard - 2 shelves + 1
H. 100 x W. 120 cm 4 425 001 + fin.



10 choices of finish for tambour doors + shells (+ fin.)



On request



On request (allow 4 weeks for delivery)

■ Decorative melamine tops



W. 120 cm 4 470 052 + top
W. 100 cm 4 470 051 + top

8 choices of finish for decorative tops (+ top)



From stock

On request

■ Additional shelves

> In a black finish

W. 120 cm 4 470 071 SG
W. 100 cm* 4 470 179 SG

■ Telescopic filing cradles

> In a black finish > With or without anti-tilt mechanism allowing only one cradle to be pulled out at a time

With	Without
W. 120 cm 4 470 061 SG	4 470 062 SG
W. 100 cm* 4 470 059 SG	4 470 060 SG

■ Vertical dividers

> In a black finish

Set of 5 dividers 4 470 208 SG

■ Multi-purpose storage containers



> For use with telescopic filing cradles or simply placed on a shelf > Supplied with 5 dividers > Graphite grey finish

CD holder
W. 16.5 x D. 34.8 x H. 11.7 cm 4 470 077 SC

A4H card holder
W. 31.7 x D. 34.8 x H. 18.5 cm 4 470 078 SC

A5V card holder
W. 16.5 x D. 34.8 x H. 11.7 cm 4 470 080 SC

A5H card holder
W. 22.6 x D. 34.8 x H. 14.5 cm 4 470 079 SC

■ 16 compartment pigeon hole unit



> Designed to be placed on a shelf W. 120 cm > W. 104 x D. 33 x H. 32 cm > Usable dimensions of each compartment: W. 22 x D. 32 x H. 6 cm > Graphite grey finish

Pigeon hole unit 4 470 041 SC

Optional extras

Suspension files

> Sold in packs of 50 > In A4 format orange kraft paper > Label holders across and on the side of cupboard files



	For cupboards	For drawers and cradles
V-shaped base	4 464 005 ZH	4 464 002 ZH
15 mm flat base	4 464 004 ZH	4 464 001 ZH
30 mm flat base	4 464 006 ZH	4 464 003 ZH



■ Self-assembly cupboards

- > Cupboard with PVC tambour doors (M1 fire resistant)
- > > 2 choices of finish to match System desktops : category 1 or category 2
- > Top section designed to house lateral files
- > 2 shelves (H.107 cm) or 4 shelves (H.197 cm) in a graphite grey finish, designed to accommodate suspension files
- > Shelves are adjustable at 21 mm intervals, secured in position with pegs
- > Lock mechanism supplied with two keys.

High cupboards - 4 shelves + rail - H. 197 x D. 45 cm

		Cat 1	Cat 2
W. 120 cm	4 399 003 + cat 1 or 2		
W. 160 cm	4 399 005 + cat 1 or 2		
W. 180 cm	4 399 007 + cat 1 or 2		

Low cupboards - 2 shelves + rail - H. 107 x D. 45 cm

W. 120 cm	4 399 002 + cat 1 or 2		
W. 160 cm	4 399 004 + cat 1 or 2		
W. 180 cm	4 399 006 + cat 1 or 2		

Additional shelves in a graphite grey finish

W. 120 cm	4 399 008 SC	
W. 160 cm	4 399 009 SC	
W. 180 cm	4 399 010 SC	

Telescopic filing cradle


W. 120 cm	4 399 011 SC	
-----------	--------------	--

2 choices of finish for tambour doors + shells (+ cat. 1)



From stock

5 choices of finish for tambour doors + shells (+ cat 2)



From stock

Optional extras

Suspension files

- > Sold in packs of 50
- > In A4 format orange kraft paper
- > Label holders across the full width of drawer files and on the side of cupboard files



	For cupboards	For drawers and cradles
V-shaped base	4 464 005 ZH	4 464 002 ZH
15 mm flat base	4 464 004 ZH	4 464 001 ZH
30 mm flat base	4 464 006 ZH	4 464 003 ZH



■ Computer and video cupboards



- > Cupboard with PVC tambour doors (M1 fire resistant)
- > Fitted with 4 castors, 2 of which are lockable
- > With ventilation holes and cable ports in the back
- > 3 graphite grey shelves and inside walls fitted with 2 clip-on DVD storage units
- > 1 pull-out keyboard shelf (for computer cupboards only)
- > Dim. W. 100 x H. 176 x D. 55 cm

Video cupboard

4 448 002 + cat



Computer cupboard

4 448 001 + cat



3 choices of finish for tambour doors + shells (+ cat)



MBSB Light beech/Aluminium grey
SDSD Light grey RAL 7035
SCSC Graphite grey RAL 7016
From stock

■ Swing door and folding door cupboards



- > High cupboards fitted with 4 shelves
- > Low cupboards fitted with 2 shelves
- > Graphite grey shelves, adjustable in height at 35 mm intervals
- > Top section of cupboard and shelves designed to house lateral files
- > Recessed handles - lock mechanism supplied with 2 keys

Swing door cupboards

H. 100 x W. 92 x D. 42 cm 4 330 001 + fin.

H. 195 x W. 92 x D. 42 cm 4 330 003 + fin.

H. 195 x W. 120 x D. 42 cm 4 330 004 + fin.



Additional shelves

W. 92 cm 4 330 005 SC

W. 120 cm 4 330 006 SC



Folding door cupboards

H. 195 x W. 120 x D. 42 cm 4 329 001 + fin.



Additional shelf

W. 120 cm 4 329 002 SC



3 choices of finish (+ fin)



SE Beige RAL 1015
SD Light grey RAL 7035
SC Graphite grey RAL 7016
From stock

■ Magazine display unit



- > 5 sloping presentation shelves + 5 fixed storage shelves

Magazine display unit

H. 195 x D. 42 x W. 92 cm 4 331 002 + fin.



2 choices of finish (+ fin)



SB Aluminium RAL 9006
SG Black RAL 9005
From stock



- > Safes: available from stock, standard delivery from our warehouse; products on request*, direct delivery from the supplier in under 2 weeks (contact us for details on delivery and installation)
- > Electronic locks from stock or on request depending on models. (All models with electronic locks are delivered with batteries included). Key-lock on request
- > Depending on models, safes are ready-prepared with fixing holes in the base (securing to the floor) or back (securing to a wall).
- > Graphite grey finish
- > Other models available. Contact us for details



■ Safety box



> 4 models available ranging from 9 to 24 litres capacity. One model is specifically designed to accommodate laptop computers and tablets, another model purposely designed for hotels > Double-wall 3mm thick steel plate shell and 4 mm thick door > Locking mechanism comprising 2 galvanised steel 18 mm bolts > Doors open to an angle of 90°



9 litres* - H. 20 x W. 31 x D. 20 cm
16 litres - 1 shelf - H. 25 x W. 35 x D. 25 cm
Laptop PC - 24 litres - H. 20 x W. 43 x D. 35 cm
Hotel - 24 litres* - H. 20 x W. 43 x D. 35 cm

Electronic lock

4 450 001
 4 450 002
 4 450 003
 4 450 004

Key-operated lock*

4 450 005
 4 450 006
 4 450 007

■ S2 safe



> S2 class safe, certified by the ECB-S as compliant with standard EN 14450 (protection against theft + fire) > 4 models available ranging from 15 to 76 litres capacity > Double-wall 3mm thick steel plate shell and 8 mm thick door > Locking mechanism comprising 2 galvanised steel 25 mm bolts > Doors open to an angle of 90° > Removable shelf



15 litres - H. 30 x W. 37 x D. 35 cm
38 litres - H. 44 x W. 45 x D. 40 cm
54 litres* - H. 59 x W. 45 x D. 40 cm
76 litres* - H. 79 x W. 45 x D. 40 cm

Electronic lock

4 450 008
 4 450 009
 4 450 010
 4 450 011

Key-operated lock*

4 450 012
 4 450 013
 4 450 014
 4 450 015

■ S2 Fire-resistant safe (documents)



> S2 class safe, certified by the ECB-S as compliant with standard EN 14450 (protection against theft) and EN 15659 for 90 minutes protection from fire (Level 30 P) > 4 models available ranging from 13 to 31 litres capacity > Double-wall 56 mm thick steel plate shell and 92 mm thick door > Locking mechanism comprising 2 galvanised steel 25 mm bolts > Doors open to an angle of 180° > Removable shelf



13 litres* - H. 30 x W. 42.7 x D. 38.5 cm
26 litres* - H. 49 x W. 36 x D. 44 cm
31 litres - H. 46 x W. 44 x D. 44 cm

Electronic lock

4 450 016
 4 450 017
 4 450 018

Key-operated lock*


4 450 019
 4 450 020
 4 450 021

> Safety cupboards: **direct delivery from the supplier in under 4 weeks**

> Prices quoted exclude delivery and installation costs (contact us for details)

> Light grey finish. Key-lock or electronic lock, depending on model. All cupboards are fitted with removable shelves designed to accommodate suspension files (except self-assembly model)

> Other models available. Contact us for details.



■ Anti-Theft



One piece construction

> Compact solution for protection against theft > 4 capacities ranging from 186 to 790 litres
> Made from 3mm thick steel plate for the shell and 52 mm for the doors > Locking mechanism comprising 7 galvanised steel 20 mm bolts > Doors open to an angle of 180° > A2P key-lock certified EN 1300 class A. Electronic lock, contact us for details

186 litres - 80 kg - 3 shelves

H. 100 x W. 60 x D. 43 cm 4 365 001

447 litres - 140 kg - 4 shelves

H. 150 x W. 90 x D. 43 cm 4 365 002

579 litres - 225 kg - 4 shelves

H. 190 x W. 90 x D. 43 cm 4 365 003

790 litres - 275 kg - 4 shelves

H. 190 x W. 122 x D. 43 cm 4 365 004

Self-assembly

> Self-assembly model for protection against theft (assembly takes 1h and requires 2 people)
> 682 litres > Made from 3mm thick steel plate for the shell and 50 mm for the doors > Locking mechanism comprising 5 galvanised steel 18 mm bolts > Doors open to an angle of 110° > Lock is certified to standard EN 1300 class A

682 litres - 270 kg - 4 shelves

H. 195 x W. 94 x D 50 cm 4 365 005

■ Anti-theft and fire-resistant



> Compact solution for protection against theft and fire > 4 capacities ranging from 325 to 880 litres
> Made from 55 mm thick steel plate for the shell and 65 mm for the doors > Locking mechanism comprising 5 galvanised steel 18 mm bolts > Doors open to an angle of 180° > A2P key-lock certified compliant with standard EN 1300 class A > Insulated double-wall design. Electronic lock, contact us for details

325 litres - 95 kg - 3 shelves

H. 150 x W. 70 x D. 55 cm 4 365 006

450 litres - 120 kg - 4 shelves

H. 195 x W. 70 x D. 55 cm 4 365 007

640 litres - 150 kg - 4 shelves

H. 195 x W. 95 x D. 55 cm 4 365 008

880 litres - 200 kg - 4 shelves

H. 195 x W. 126 x D. 55 cm 4 365 009

■ Anti-theft and 2h fire resistant for paper



> Compact solution for resistant against theft and offers 2h protection against fire, certified as compliant with fire rating standard NT Fire 017 class 120 paper > 7 capacities ranging from 116 to 783 litres > Made from 80 mm thick steel plate for the shell and 84 mm for the doors > Locking mechanism comprising 5 galvanised steel bolts (16 to 25 mm depending on model) > Doors open to an angle of 180° > Programmable electronic lock > Double-wall steel plate construction incorporating fireproofing materials

116 litres - 160 kg - 1 shelf

H. 79.5 x W. 58 x D. 51 cm 4 365 010

123 litres - 200 kg - 2 shelves

H. 99.5 x W. 59 x D. 51 cm 4 365 011

226 litres - 285 kg - 2 shelves

H. 117.5 x W. 65 x D. 63.5 cm 4 365 012

385 litres - 280 kg - 3 shelves

H. 161.5 x W. 74.5 x D. 63.5 cm 4 365 014

783 litres - 670 kg - 3 shelves

H. 169.5 x W. 120.6 x D. 65.4 cm 4 365 016

■ **3-Drawer credenzas**



> Designed to house 1 to 3 rows of A4 suspension files per drawer
 > Features a selective drawer opening system and anti-tilting security mechanism
 > Drawers mounted on telescopic ball-bearing runners, and open to a depth of 100%
 > Central-locking system
 > Equipped with ergonomic handles and label holders
 > Dimensions: H. 100 x D. 47 cm (compatible with A4, folio and foolscap suspension files)
 > Complies with standards: - NF D62041 (France)
 - GS 93123051 (Germany)
 - BS 4875 (England)

Credenza W. 80 cm 4 602 001 + fin.
 Credenza W. 120 cm 4 602 002 + fin.



5 choices of finish (+ fin.)



From stock **On request (allow 5 weeks for delivery)**

■ **Flap door cabinets**



> Modular units can be adjoined side-by-side at will
 > Magnetic closing mechanism
 > Integrated label holders
 > Usable compartment dimensions: W. 37 x D. 32 x H. 16 cm
 > Usable internal width: W. 40 cm
 > Labels not supplied.

5 compartments
 H. 103.5 x D. 34.5 x W. 41 cm 4 334 003 + fin.

10 compartments
 H. 198 x D. 34.5 x W. 41 cm 4 334 004 + fin.

4 choices of finish (+ fin.)



From stock

■ **Magirond**



> Revolving tower unit (ø 80 cm) - simultaneous rotation of all rows
 > Each row will take up to 24 lever arch files (7 cm spine)
 > Basic model comprises 2 rows - up to a maximum of 6 rows
 > Fibreboard shelves - Tubular metal base and frame.

2 rows
 H. 93 cm 4 033 003

3 rows
 H. 130 cm 4 033 004

4 rows
 H. 166 cm 4 033 005

5 rows
 H. 203 cm 4 033 006

6 rows
 H. 239 cm 4 033 007

Additional rows
 H. 35 cm 4 033 002

Set of 4 castors
 4 033 008





- > Drawers have plain back and sides and bottoms are grooved to allow dividers to be fitted.
- > Selective drawer opening system - anti-tilting security mechanism
- > Telescopic runners with progressive opening action and are self-closing the last few centimetres.
- > Central locking mechanism - Master key available on request
- > Equipped with ergonomic handles and label holders
- > A4 format: W. 41.3 x D. 62.2 cm
- > Foolscap format: W. 47 x D. 62.2 cm (compatible with A4, folio and foolscap suspension files)
- > Complies with standards: - NF D.62041 (France)
- GS. 93123051 (Germany)
- BS. 54459 (England)



2-Drawer filing cabinet H. 71.1 cm

A4 Format from stock 4 333 001 + fin.
 Foolscap format on request 4 333 004 + fin.



2-Drawer filing cabinet H. 101.6 cm

A4 Format from stock 4 333 002 + fin.
 Foolscap format on request 4 333 005 + fin.



2-Drawer filing cabinet H. 132.4 cm

A4 Format from stock 4 333 003 + fin.
 Foolscap format on request 4 333 006 + fin.



Set of 5 dividers

A4 Format from stock 4 333 007 SC
 Foolscap format on request 4 333 008 SC



7 choices of finish (+ fin.)

SE	SD	SB	SC	SO	SN	SG
Beige	Light grey	Aluminium grey	Graphite grey	White	Blue	Dark
RAL 1015	RAL 7035	RAL 9006	RAL 7016	RAL 9010	RAL 5003	RAL 9005

From stock

On request (allow 5 weeks for delivery)

Optional extras

Suspension files


> Sold in packs of 50 > Made in orange A4 Format kraft paper > Full-length label holders

V-shape base	4 464 002 ZH
15 mm flat base	4 464 001 ZH
30 mm flat base	4 464 003 ZH



■ R-Lib shelving units

> Melamine uprights 38 mm thick, single face or double face, 2 mm thick ABS contour edging > Metal frame reinforces the structure, with additional stability provided by a steel cross-bar at the back of shelving for the simple face model and between the uprights for the double face model > 2 choices of shelves: metal (held in place by screw-in pegs) 10/10 thick. With a steel lip at the back or melamine (held in place by cam fittings) 25 mm thick, 2 mm thick ABS front edging > Width: 90 cm, depth: 30 cm




Single-sided uprights

Starter units

H. 130 cm on request	4 500 025 + fin. + SA
H. 170 cm	4 500 027 + fin. + SA
H. 210 cm	4 500 029 + fin. + SA

Add-on units


H. 130 cm on request	4 500 026 + fin. + SA
H. 170 cm	4 500 028 + fin. + SA
H. 210 cm	4 500 030 + fin. + SA



From stock



On request




Double-sided uprights

Starter units

H. 130 cm on request	4 500 031 + fin. + SA
H. 170 cm	4 500 033 + fin. + SA
H. 210 cm	4 500 035 + fin. + SA

Add-on units

H. 130 cm on request	4 500 032 + fin. + SA
H. 170 cm	4 500 034 + fin. + SA
H. 210 cm	4 500 036 + fin. + SA



Metal shelves

1 flat shelf	4 500 037 SA
Set of 2 flat shelves	4 500 038 SA



1 sloping shelf	4 500 039 SA
Set of 2 sloping shelves	4 500 040 SA

From stock



Melamine shelves

1 flat shelf	4 500 041 + fin. + SA
Set of 2 flat shelves	4 500 042 + fin. + SA

From stock



On request



Overall dimensions

Height: 130 (on request), 170 or 210 cm
 Width: starter unit: 97.8 cm, add-on unit: 94 cm
 Depth: 33 cm (single-sided) or 63 cm (double-sided)



3 choices of finish for melamine uprights and shelves (+ fin.)



White Light oak French Apple
From stock **On request (allow 5 weeks)**

1 choice of finish for metal structure and shelves



Aluminium grey
From stock



■ Accessories

Magazine display case

> Metal 10/10 thick, features 3 foldaway and retractable display panels
> Dim.: W. 90 x D. 36 x H. 35.7 cm



4 500 043 SA



Set of 5 bookends

> Metal 10/10 thick > Attach to metal and/or melamine shelves
> Dim.: W. 29.5 x H. 15 cm



Set of 5
4 500 044 SA



Set of 10 label holders for metal shelves

> Metal 10/10 thick > Attach to metal shelves > Dim.: W. 10.2 x H. 1.5 cm
> Labels not supplied



Set of 10
4 500 045 SA



Melamine album display case (on request)

> Melamine case in an aluminium grey finish > Panel legs and back panel match the shelving > Dim: W. 120.6 X D. 62 x H. 81 cm



4 500 023 + fin.



Books trolley (on request)

> Tubular steel and aluminium frame, 19 mm thick melamine body matches the shelving > Fitted with 4 castors, 2 of which are lockable



4 500 046 + fin. + SA




4Most Table p. 56.



■ Tubular frame shelving units

- > Designed for industrial or archiving purposes
- > Steel uprights 8/10 mm thick, T-shape design, cross section 20 x 40 mm.
- > Choice of galvanised finish or paint finish
- > Horizontal cross bars made from galvanised steel
- > Interlocking parts for quick and easy assembly
- > Other configurations available, contact us for further details

3 choices of finish (+ fin.)



Overall dimensions

- > 4 shelf heights:
 - H. 175 cm
 - H. 200 cm
 - H. 225 cm
 - H. 250 cm
- > 3 shelf depths:
 - D. 35 cm
 - D. 50 cm
 - D. 70 cm
- > 2 shelf widths:
 - W. 100 cm : W. 104 cm (starter unit) or W. 101 cm (add-on unit)
 - W. 125 cm : W. 129 cm (starter unit) or W. 126 cm (add-on unit)
- > Usable dimensions between uprights:
 - Width 100 cm: W. 96 cm
 - Width 125 cm: W. 121 cm

Maximum loads per shelf (evenly distributed):

- > Shelves W. 100 cm:
 - D. 35 cm: 135 kg
 - D. 50 cm: 200 kg
 - D. 70 cm: 200 kg
- > Shelves W. 125 cm:
 - D. 35 cm: 110 kg
 - D. 50 cm: 160 kg
 - D. 70 cm: 160 kg

	Starter unit	Paint finish	Galvanised finish	Add-on unit	Paint finish	Galvanised finish
	Uprights:			Uprights:		
H. 175 cm						
W. 100 cm - 4 shelves						
W. 35 cm	4 226 068 + fin.			4 226 071 + fin.		
W. 50 cm	4 226 069 + fin.			4 226 072 + fin.		
W. 70 cm	4 226 070 + fin.			4 226 073 + fin.		
W. 125 cm - 4 shelves						
W. 35 cm	4 226 074 + fin.			4 226 077 + fin.		
W. 50 cm	4 226 075 + fin.			4 226 078 + fin.		
W. 70 cm	4 226 076 + fin.			4 226 079 + fin.		
H. 200 cm						
W. 100 cm - 5 shelves						
W. 35 cm	4 226 050 + fin.			4 226 056 + fin.		
W. 50 cm	4 226 051 + fin.			4 226 057 + fin.		
W. 70 cm	4 226 052 + fin.			4 226 058 + fin.		
W. 125 cm - 5 shelves						
W. 35 cm	4 226 053 + fin.			4 226 059 + fin.		
W. 50 cm	4 226 054 + fin.			4 226 060 + fin.		
W. 70 cm	4 226 055 + fin.			4 226 061 + fin.		
H. 225 cm						
W. 100 cm - 6 shelves						
W. 35 cm	4 226 080 + fin.			4 226 083 + fin.		
W. 50 cm	4 226 081 + fin.			4 226 084 + fin.		
W. 70 cm	4 226 082 + fin.			4 226 085 + fin.		
W. 125 cm - 6 shelves						
W. 35 cm	4 226 086 + fin.			4 226 089 + fin.		
W. 50 cm	4 226 087 + fin.			4 226 090 + fin.		
W. 70 cm	4 226 088 + fin.			4 226 091 + fin.		
H. 250 cm						
W. 100 cm - 7 shelves						
W. 35 cm	4 226 092 + fin.			4 226 095 + fin.		
W. 50 cm	4 226 093 + fin.			4 226 096 + fin.		
W. 70 cm	4 226 094 + fin.			4 226 097 + fin.		
W. 125 cm - 7 shelves						
W. 35 cm	4 226 098 + fin.			4 226 101 + fin.		
W. 50 cm	4 226 099 + fin.			4 226 102 + fin.		
W. 70 cm	4 226 100 + fin.			4 226 103 + fin.		



Tubular shelves



Clip-in shelf support bars



Non-marking glides



Optional hardboard tops

Set of 2 additional shelves

W. 100 x D. 35 cm	4 226 062 ZJ
W. 100 x D. 50 cm	4 226 063 ZJ
W. 100 x D. 70 cm	4 226 064 ZJ
W. 125 x D. 35 cm	4 226 065 ZJ
W. 125 x D. 50 cm	4 226 066 ZJ
W. 125 x D. 70 cm	4 226 067 ZJ

Set of 5 additional shelves

W. 100 x D. 35 cm	4 271 049 ZJ
W. 100 x D. 50 cm	4 271 050 ZJ
W. 100 x D. 70 cm	4 271 051 ZJ
W. 125 x D. 35 cm	4 271 052 ZJ
W. 125 x D. 50 cm	4 271 053 ZJ
W. 125 x D. 70 cm	4 271 054 ZJ

Set of 2 hardboard tops

W. 100 x D. 35 cm	4 271 058 XW
W. 100 x D. 50 cm	4 271 059 XW
W. 100 x D. 70 cm	4 271 060 XW
W. 125 x D. 35 cm	4 271 061 XW
W. 125 x D. 50 cm	4 271 062 XW
W. 125 x D. 70 cm	4 271 063 XW

Set of 5 hardboard tops

W. 100 x D. 35 cm	4 226 044 XW
W. 100 x D. 50 cm	4 226 045 XW
W. 100 x D. 70 cm	4 226 046 XW
W. 125 x D. 35 cm	4 226 047 XW
W. 125 x D. 50 cm	4 226 048 XW
W. 125 x V. 70 cm	4 226 049 XW



Shelves designed to take A4 lateral files



Shelves fixed using clips



Welded uprights and non-marking glides



Optional 90° corner section

■ Multi-purpose shelving units

- > Made of steel
- > Steel uprights dim. 35 x 35 mm and shelves 9/10 mm thick
- > Shelves in a light grey SD finish, adjustable at intervals of 25 mm designed to accommodate suspension files
- > Cruciform rear braces provide added stability
- > Maximum loads evenly distributed: Shelves W. 90 cm 120 kg, shelves W. 120 cm 80 kg.

Starter units	
H. 200 cm	
W. 90 cm	
5 shelves	4 322 106 + fin.
6 shelves	4 322 110 + fin.
W. 120 cm	
5 shelves	4 322 105 + fin.
6 shelves	4 322 109 + fin.
H. 250 cm	
W. 90 cm	
7 shelves	4 322 114 + fin.
8 shelves	4 322 118 + fin.
W. 120 cm	
7 shelves	4 322 113 + fin.
8 shelves	4 322 117 + fin.

Add-on units	
4 322 108 + fin.	
4 322 112 + fin.	
4 322 107 + fin.	
4 322 111 + fin.	
4 322 116 + fin.	
4 322 120 + fin.	
4 322 115 + fin.	
4 322 119 + fin.	

Overall dimensions

- > Starter unit:
Height: 200 or 250 cm
Width: 96 or 126 cm
Depth: 38.4 cm
- > Add-on unit :
Height: 200 or 250 cm
Width: 92.3 or 122.3 cm
Depth: 38.4 cm

Usable dimensions between uprights:
L. 88.5 or 118.5 cm



2 choices of finish (+ fin.)



Optional extras

Set of 2 additional shelves

- W. 90 cm 4 322 144 SD
- W. 120 cm 4 322 143 SD

Set of 2 sliding dividers

- H. 30 cm 4 412 032 SD

Set of 2 additional 90° corner-shelves

Position between 1 starter unit and 1 add-on unit, or between 2 add-on units (1 corner-shelf needed per shelving level)

- Unit price (set of 2 shelves) 4 322 149 SD

■ Self-assembly multi-compartment lockers



- > Easy assembly - no nuts and bolts required.
- > Double compartment lockers fitted with coat rail
- > Theft-proof partitioning shelves separate superimposed compartments
- > Air vents in upper, lower and rear sections
- > Doors open to an angle of 120°. Recessed label holder
- > Doors are secured by means of a padlock hasp (padlock not supplied)
- > Ideally suited for administrative facilities or non-humid sporting venues
- > H. 180 x D. 50 cm

2 compartments

Starter unit - W. 30 cm 4 229 024 + fin.
Add-on unit - W. 30 cm 4 229 026 + fin.

4 compartments

Starter unit - W. 40 cm 4 229 025 + fin.
Add-on unit - W. 40 cm 4 229 027 + fin.

Optional extras : sloping roof, base units, key-operated lock and set of 4 feet
See page 179




4 choices of finish for shells and doors (+ fin.)



Grey/blue RAL 5005 Grey/yellow RAL 1018 Grey/red RAL 3000 Grey/green RAL 6000

From stock On request (allow 5 weeks for delivery)

■ Free-standing benches



- > Tubular structure of square section 30 x 30 mm - Light grey epoxy finish
- > Varnished light beech seat comprising 3 slats
- > Depth 31 cm. Seat height 42 cm
- > Adjustable stabilizer feet

W. 120 4 410 077 SD
W. 160 4 410 078 SD
W. 200 4 410 079 SD

■ Self-assembly office lockers



- > Easy assembly - no nuts and bolts required
- > Lockers fitted with a shelf with coat rail attached and a coat hook
- > Air vents in rear section. Adhesive label holder
- > Secured with key and lock mechanism, 2 keys supplied
- > H. 180 x D. 50 x W. 30 cm

Starter unit 4 407 009 + fin.
Add-on unit 4 407 010 + fin.



4 choices of finish (+ fin.)



Beige RAL 1015 Light grey RAL 7035 Aluminium RAL 9006 Graphite grey RAL 7016

From stock

Self-assembly industrial lockers

- > Easy assembly - no nuts and bolts required
- > Lockers fitted with a shelf with coat rail attached
- > Dirty use models fitted with 2/3 - 1/3 vertical partition
- > Air vents in upper, lower and rear sections.
- > Recessed label holder
- > Doors are secured by means of a padlock hasp (padlock not supplied)
- > Complies with standards NFD 60 - 050 (2009), NFD 65-760 (2007) parts 1, 2, 3
- > H. 180 x D. 50 cm



Clean use

Starter unit - W. 30 cm 4 228 089 + fin.

Add-on unit - W. 30 cm 4 228 090 + fin.


Dirty use

Starter unit - W. 40 cm 4 228 091 + fin.

Add-on unit - W. 40 cm 4 228 092 + fin.

3 choices of finish for shells and doors (+ fin.)

SDSD	SDSK	SESE
Light grey RAL 7035	Grey/blue RAL 5005	Beige RAL 1015
From stock	On request 5 weeks	



One piece industrial lockers

- > Lockers fitted with a shelf with coat rail attached to underside
- > Dirty use models fitted with 2/3 - 1/3 vertical partition
- > Air vents in upper, lower and rear sections.
- > Recessed label holder
- > Doors are secured by means of a padlock hasp (padlock not supplied)
- > Complies with standards NFD 60 - 050 (2009), NFD 65-760 (2007) parts 1, 2, 3 > H. 180 x D. 50 cm



Clean use

1 door W. 30 cm 4 424 037 + fin.

2 doors W. 60 cm 4 424 038 + fin.

3 doors W. 90 cm 4 424 039 + fin.

4 doors W. 120 cm 4 424 040 + fin.

Dirty use


1 door W. 40 cm 4 424 041 + fin.

2 doors W. 80 cm 4 424 042 + fin.

3 doors W. 120 cm 4 424 043 + fin.

3 choices of finish for shells and doors (+ fin.)

SDSD	SDSK	SESE
Light grey RAL 7035	Grey/blue RAL 5005	Beige RAL 1015
From stock	On request 5 weeks	





Base units with bench and base units with feet

> Designed to make it easier to clean beneath lockers and allow air to circulate > Fits under a starter unit (compulsory) + add-on units > Tubular steel structure 40 x 20 mm > Light grey SD finish from stock or beige SE on request



With bench - H. 35 x D. 80 cm
 W. 60 cm*
 W. 80 cm*
 W. 90 cm*
 W. 120 cm clean use
 W. 120 cm dirty use

For self-assembly lockers
 4 410 062 + fin.
 4 410 063 + fin.
 4 410 064 + fin.
 4 410 061 + fin.
 4 410 080 + fin.

For one piece lockers
 4 410 066 + fin.
 4 410 067 + fin.
 4 410 068 + fin.
 4 410 081 + fin.
 4 410 065 + fin.



With feet - H. 15 x D. 50 cm
 W. 60 cm*
 W. 80 cm*
 W. 90 cm*
 W. 120 cm clean use
 W. 120 cm dirty use

4 410 070 + fin.
 4 410 071 + fin.
 4 410 072 + fin.
 4 410 069 + fin.
 4 410 082 + fin.

4 410 074 + fin.
 4 410 075 + fin.
 4 410 076 + fin.
 4 410 083 + fin.
 4 410 073 + fin.

*on request (allow 5 weeks for delivery)

Sloping roof

> Designed to prevent items from being left on top of lockers



H. 20 x D. 50 cm
 W. 60 cm*
 W. 80 cm*
 W. 90 cm*
 W. 120 cm clean use
 W. 120 cm dirty use

For self-assembly lockers
 4 410 052 + fin.
 4 410 053 + fin.
 4 410 054 + fin.
 4 410 055 + fin.
 4 410 084 + fin.

For one piece lockers
 4 410 056 + fin.
 4 410 057 + fin.
 4 410 058 + fin.
 4 410 059 + fin.
 4 410 085 + fin.

*on request (allow 5 weeks)



Set of 4 feet

> Set of feet should be placed at 120 cm intervals

H. 15 cm
 For one piece lockers
 For self-assembly lockers

4 410 050 + fin.
 4 410 051 + fin.



Key-operated lock

For one piece lockers
 4 410 060
 For self-assembly lockers
 4 410 086

Key-code locks: contact us for details

Optional extras (industrial self-assembly and one piece lockers)